



BCIPI STANDARDS OF INSPECTION

Part 1: Purpose, Scope, and Limitations of the Inspection

1. The inspection is a *VISUAL INSPECTION* performed by *DIRECT OBSERVATION* of existing conditions at the time of inspection and will be conducted by a *CERTIFIED HOME INSPECTOR (CHI)* or *CERTIFIED PROPERTY INSPECTOR (CPI)* (identified as the *INSPECTOR* in the rest of this document) acting in accordance to this BCIPI Standards of Inspection. The inspection is not technically exhaustive and therefore may not be inclusive of all defects.
2. Inspectors are generally limited to the inspection of single-family dwellings, duplexes, townhouses and apartments which shall commensurate with their level of certification, qualification, experience and knowledge.
3. The inspection is of a general nature and not that of a *SPECIALIST*. A *SPECIALIST* serves to provide additional analysis and opinion of adverse conditions or defects identified, beyond the scope of the inspection. **CLIENTS SHOULD BE AWARE OF THE LIMITATIONS OF THIS INSPECTION AND ARE ENCOURAGED TO CAREFULLY CONSIDER ANY RECOMMENDATIONS FOR FURTHER INVESTIGATION, READ AND UNDERSTAND ALL PERTINENT STRATA REPORTS, DOCUMENTS, MINUTES, AND RECORDS, AND SEEK ANY FURTHER INVESTIGATION OR CLARIFICATION PRIOR TO PURCHASE.**
4. The *INSPECTOR* will **NOT** offer warranties or guarantees of any kind for any building system or component.
5. The BCIPI Standards of Inspection does **NOT** cover or require the *INSPECTOR* to identify or report on the presence of asbestos, radon gas, lead paint, urea formaldehyde, toxic or flammable chemicals, and/or soil contamination.
6. The *INSPECTOR* is **NOT** required to perform any calculations or analyze any part of the building or components relating to design, engineering or architectural concepts, including, but not limited to the strength and adequacy, methods, materials, costs for any corrections, the efficiency of any system or component or compliance with any regulatory requirements, laws or bylaws.
7. The *INSPECTOR* is **NOT** required to locate, confirm, verify, or comment on property lines, borders and markers or any easements, right of ways, restrictions which may or may not exist against the subject property, buildings, dwelling or dwelling unit.
8. The *INSPECTOR* will **NOT** comment on life expectancy, but may however offer an opinion based on the typical life cycle of a system or component.
9. The *INSPECTOR* is **NOT** required to provide cost estimates, quotations or comment on construction techniques and shall **NOT** advertise, or promote an individual contractor or person for any repairs, modifications, or improvements necessary.
10. The *INSPECTOR* is **NOT** required to dismantle any item or assembly to gain visible access, or move personal items, furniture, equipment, plant life, soil, ice or snow, insulation, or other debris, which obstructs access or visibility for the inspection.
11. The *INSPECTOR* will **NOT** perform any task, enter any area, or disturb any existing condition where, in the *INSPECTOR*'s judgment, damage could result, specialized safety equipment is required, or the safety of the *INSPECTOR* is endangered.
12. The *INSPECTOR* will **NOT** comment on any system that is mechanically or electrically disconnected, including any equipment that is in the off position or is otherwise not operational. However, the inspector may provide a limited description of what has been observed.
13. The *INSPECTOR* will **NOT** accept compensation, financial or otherwise, from more than one interested party for the same service without the consent of all interested parties.
14. The *INSPECTOR* shall **NOT** directly or indirectly offer, advertise or promote any other professional services relating to the advertising, sale, appraisal, or lending, of the subject building or property.
15. The *INSPECTOR* **SHALL** submit a report of findings that includes a copy of the BCIPI Standards of Inspection and a service engagement contract. Furthermore, it is recommended that the *INSPECTOR* provide a service engagement contract to the client prior to the inspection, for adequate review and approval by the client.



Part 2: Scope of Inspection

Special Limitations to Scope:

1. Should the *INSPECTOR* identify specific conditions observed that require further investigation by a *SPECIALIST*, **it is recommended that the client undertake this work prior to purchasing.**
2. The *INSPECTOR* will **NOT** inspect any area or component, in whole or portion thereof, which is not reasonably accessible, or readily visible.
3. In the case of *MULTI-FAMILY DWELLINGS*, **it is the client’s responsibility to arrange access to all building COMMON AREAS requiring inspection.** The *INSPECTOR* will not inspect any secured *COMMON AREA(S)* unless permission has been granted and access provided by an authorized building representative (Property Manager, Caretaker, Council Member, etc.).
4. Any component not directly identified on the individual *INSPECTED UNIT* as part of title and is generally believed in the real estate industry, as being maintained by the STRATA is defined as part of the *COMMON AREA*. The inspection of *COMMON AREAS* is limited to a cursory review of easily accessible *COMMON AREAS* appropriate in the circumstance and subject to any limitations, terms, or conditions established by the recognized building representative. Identification of what is *UNIT ENTITLEMENT* and what is *COMMON AREA* is not the responsibility of the Inspector.
5. The *INSPECTOR* will **NOT** dismantle, remove, adjust or perform any task that would normally require a *QUALIFIED TRADES PERSON* to perform.
6. The *INSPECTOR* will **NOT** access any area of the building that requires the use of specialized training, safety equipment **or in the judgment of the INSPECTOR could be dangerous or cause damage to person or property.**

	An Inspector <u>IS REQUIRED</u> to:	An Inspector is <u>NOT REQUIRED</u> to:
	<ul style="list-style-type: none"> ◆ Observe and report on the systems and components listed herein. ● Perform tasks as noted herein. 	
1) ROOFING		
SINGLE FAMILY	<ul style="list-style-type: none"> ◆ Roofing components and roof coverings ◆ Roof penetrations and flashings ◆ Roof drainage components, including gutters and downspouts ◆ Chimneys ● Report on any observed evidence of current/past water penetration and/or condensation 	<ul style="list-style-type: none"> ◆ Accessories that do not make up part of the roof system, such as lightning arrestor systems, antennae, solar heating systems
MULTI-FAMILY/STRATA	<ul style="list-style-type: none"> ◆ As per single family dwellings except for those components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> ● Offer comments only of a general nature based on a limited observation of accessible roofing components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> 	<p>As per single family and;</p> <ul style="list-style-type: none"> ◆ Roofing components (inc. chimneys) contained in a <i>COMMON AREA</i> not directly attributable to, and of sole use by the <i>INSPECTED UNIT</i> ● Observe and report evidence of water penetration that is beyond the interior of the <i>INSPECTED UNIT</i>
2) EXTERIOR		
SINGLE FAMILY	<ul style="list-style-type: none"> ◆ Exterior wall surfaces, eaves and trim ◆ Doors, windows and flashings ◆ Garages and carports ◆ All entrances such as porches, decks, balconies, including stairs, guards and railings ● Observe and report on the impact of lot grading, landscaping, retaining walls, walkways, and driveways on the building. 	<ul style="list-style-type: none"> ◆ Seasonal accessories such as removable storm windows, storm doors, screens and shutters. ◆ Storage sheds, yard fencing, and other structures not related to the building ◆ Any item or facilities not directly related to the building structure, such as recreational rooms, swimming pools, saunas, hot tubs, tennis courts, etc.

Please refer to notes located at front of tables for more information



	An Inspector <u>IS REQUIRED</u> to:	An Inspector is <u>NOT REQUIRED</u> to:
	<ul style="list-style-type: none"> ◆ Observe and report on the systems and components listed herein. ● Perform tasks as noted herein. 	
	<ul style="list-style-type: none"> ● Test the operation of power operated garage door openers, including the stop and automatic-reverse function 	<ul style="list-style-type: none"> ◆ Ground and soil conditions
MULTI-FAMILY/STRATA	<ul style="list-style-type: none"> ◆ As per single family dwellings except for those components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> ● Offer comments only of a general nature based on a limited observation of accessible exterior components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> 	<p>As per single family and;</p> <ul style="list-style-type: none"> ◆ Any Exterior component contained in a <i>COMMON AREA</i> not directly attributable to, and of sole use for the <i>INSPECTED UNIT</i>
3) <u>STRUCTURE</u>		
SINGLE FAMILY	<ul style="list-style-type: none"> ◆ Foundations and Framing ◆ Attics & Roof structure ◆ Crawl Spaces ◆ Adverse conditions in interior walls, ceilings, and floors 	<ul style="list-style-type: none"> ● Observe and report on any evidence of water penetration, condensation, or mould ● Observe and report any evidence of deterioration from insects, rot or fire ● Observe and report as to the adequacy of any structural component or system
MULTI-FAMILY/STRATA	<ul style="list-style-type: none"> ◆ As per single family dwellings except for those components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> ● Offer comments only of a general nature based on a limited observation of accessible structural components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> 	<p>As per single family and;</p> <ul style="list-style-type: none"> ◆ Any Structural component contained in a <i>COMMON AREA</i> not directly attributable to, and of sole use for the <i>INSPECTED UNIT</i>
4) <u>INSULATION & VENTILATION</u>		
SINGLE FAMILY	<ul style="list-style-type: none"> ◆ Insulation and vapour barrier in accessible attics, crawl spaces and unfinished basements ◆ Ventilation of attics and unheated crawlspaces 	<ul style="list-style-type: none"> ◆ Concealed insulation, air and vapour barrier systems
MULTI-FAMILY/STRATA	<ul style="list-style-type: none"> ◆ As per single family dwellings except for those components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> ● Offer comments only of a general nature based on a limited observation of accessible insulation and ventilation components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> 	<p>As per single family and;</p> <ul style="list-style-type: none"> ◆ Any Insulation and Ventilation component contained in a <i>COMMON AREA</i> not directly attributable to, and of sole use for the <i>INSPECTED UNIT</i>
5) <u>ELECTRICAL</u>		
SINGLE FAMILY	<ul style="list-style-type: none"> ◆ Service entrance cable and location ◆ Main service panel and auxiliary panels ◆ Panel & Branch circuit over-current protection and system grounding ◆ Branch circuit wiring 	<ul style="list-style-type: none"> ◆ Secondary wiring systems such as security systems, low voltage wiring, telephone wiring, cable television wiring, etc. ● Insert or remove fuses, or operate circuit breakers ● Provide or remove power for equipment

Please refer to notes located at front of tables for more information



	An Inspector <u>IS REQUIRED</u> to:	An Inspector is <u>NOT REQUIRED</u> to:
	<ul style="list-style-type: none"> ◆ Observe and report on the systems and components listed herein. ● Perform tasks as noted herein. 	
	<ul style="list-style-type: none"> ◆ Amperage and voltage ratings of main service panel ● Inspect inside panels with <i>readily accessible and removable panel covers designed for homeowner access</i> ● <i>Randomly select and operate a representative number of permanently installed light fixtures and outlets</i> ● <i>Outlets noted above are to be checked for polarity and grounding</i> ● <i>All exterior outlets and those within five feet of plumbing fixtures <u>will</u> be checked for polarity and grounding</i> ● <i>Verify presence and test the operation of ground fault circuit interrupters and arc-fault breakers</i> 	<ul style="list-style-type: none"> ● <i>Remove a circuit panel cover in the main or any auxiliary panels unless they have received permission from the owner to do so and have safely de-energized the system by means of the main breaker or are wearing appropriate personal protective equipment</i>
MULTI-FAMILY/STRATA	<ul style="list-style-type: none"> ◆ As per single family dwellings except for those components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> and not including the testing of smoke detectors ● <i>Offer comments only of a general nature based on a limited observation of accessible electrical components located in COMMON AREAS outside of the INSPECTED UNIT</i> 	<p>As per single family and;</p> <ul style="list-style-type: none"> ◆ Any Electrical component contained in a <i>COMMON AREA</i> not directly attributable to, and of sole use for the <i>INSPECTED UNIT</i> ● <i>Test the operation smoke detectors forming part of a fire suppression system subject to annual inspection and certification by others</i> ● <i>Remove a circuit panel cover in the main or auxiliary panels where the INSPECTED UNIT does not contain a main breaker to safely de-energize the electrical system in the INSPECTED UNIT</i>
6) <u>HEATING, MECHANICAL VENTILATION & COOLING SYSTEMS (PERMANENTLY INSTALLED)</u>		
SINGLE FAMILY	<ul style="list-style-type: none"> ◆ Heating and Cooling distribution systems, including where applicable fans, flue piping, vents, chimneys, dampers, pumps, supports, filters, ducts, piping, registers, radiators, and convectors ◆ Heat Recovery Ventilators ◆ The presence of manufacturer's built-in safety controls. ◆ The presence of a heating source in each room. ● <i>Test systems using the thermostat or other similar standard operating controls</i> <i>Operate the individual exhaust fan ventilation systems</i> ● <i>Will recommend to client to have any gas appliance present serviced by a licensed gas Contractor ASAP if documentation cannot be presented showing the unit has been serviced in the last calendar year</i> 	<ul style="list-style-type: none"> ◆ Portable heating units or cooling units such as window air conditioning units, portable humidifiers, and portable dehumidifiers ◆ Buried or underground fuel storage tanks or piping ● <i>Ignite or extinguish pilot lights, change settings or conditions on equipment</i> ● <i>Observe if the heat and air distribution in the building is balanced or adequate</i>

Please refer to notes located at front of tables for more information



	An Inspector <u>IS REQUIRED</u> to:	An Inspector is <u>NOT REQUIRED</u> to:
	<ul style="list-style-type: none"> ◆ Observe and report on the systems and components listed herein. ● Perform tasks as noted herein. 	
MULTI-FAMILY/STRATA	<ul style="list-style-type: none"> ◆ As per single family dwellings except for those components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> ● Offer comments only of a general nature based on a limited observation of accessible Heating and Cooling systems located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> 	<p>As per single family and;</p> <ul style="list-style-type: none"> ◆ Any Heating & Cooling system component contained in a <i>COMMON AREA</i> not directly attributable to, and of sole use for the <i>INSPECTED UNIT</i>
7) <u>PLUMBING</u>		
SINGLE FAMILY	<ul style="list-style-type: none"> ◆ Main water supply piping into dwelling and any distribution piping, pipe supports, and any leaks in above piping systems ◆ Fixtures, faucets, and isolating valves ◆ Drain, waste and vent piping, pipe supports and insulation ◆ Hot Water heaters, including if present, fuel supply piping, flue piping, vents, chimneys, and verify the presence of required safety devices ◆ Interior sumps and pumps ● Observe and report on the presence of cross-connections that could contaminate the potable water ● Water volume and pressure should be tested by opening the faucets to obtain a reasonable flow of one or more fixtures simultaneously, and at various locations in the dwelling ● Water drainage should be tested by draining one or more fixtures simultaneously, and at various locations in the dwelling 	<ul style="list-style-type: none"> ◆ Any item or facilities not directly related to the plumbing such as swimming pools, saunas, hot tubs, solar systems, etc. ◆ Water-treatment devices ◆ Automatic air vents ◆ Foundation drainage system and yard piping. ◆ Irrigation or fire sprinkler systems ● Observe the quantity and quality of water supply, and whether public or private ● Observe outdoor waste disposal systems located on the property or determine whether public or private ● Operate any valve other than those used on a regular or daily basis by an /the occupant ● Ignite or extinguish pilot lights, change settings, or conditions on equipment
MULTI-FAMILY/STRATA	<ul style="list-style-type: none"> ◆ As per single family dwellings except for those components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> ● Offer comments only of a general nature based on a limited observation of accessible Plumbing components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> 	<p>As per single family and;</p> <ul style="list-style-type: none"> ◆ Any Plumbing component contained in a <i>COMMON AREA</i> not directly attributable to, and of sole use for the <i>INSPECTED UNIT</i>
8) <u>INTERIOR</u>		
SINGLE FAMILY	<ul style="list-style-type: none"> ◆ Floors, walls, ceilings, and trims ◆ Fire separating walls and party walls ◆ Stairs, guards, and railings ◆ Solid fuel burning appliances, including fireplaces and wood stoves ● Observe and report on the presence of smoke/heat/CO detectors and/or fire sprinklers ● Observe the condition of permanently installed counters and cabinets 	<ul style="list-style-type: none"> ◆ Treatments such as paint, wallpaper, carpeting, blinds, drapes, and other similar treatments ◆ Kitchen, bathroom, and laundry appliances ● Ignite or extinguish fires ● Observe fireplace insert installation <p>Also see Exterior excluded seasonal accessories and excluded accessory buildings</p>

Please refer to notes located at front of tables for more information



	An Inspector <u>IS REQUIRED</u> to:	An Inspector is <u>NOT REQUIRED</u> to:
	<ul style="list-style-type: none"> ◆ Observe and report on the systems and components listed herein. ● Perform tasks as noted herein. 	
	<ul style="list-style-type: none"> ● Randomly select and operate, where reasonably accessible, a representative number of doors and windows ● Observe and report on any evidence of water penetration and condensation 	
MULTI-FAMILY/STRATA	<ul style="list-style-type: none"> ◆ As per single family dwellings except for those components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> and not including the testing of smoke & heat detectors ● Offer comments only of a general nature based on a limited observation of accessible Interior components located in <i>COMMON AREAS</i> outside of the <i>INSPECTED UNIT</i> 	<p>As per single family and;</p> <ul style="list-style-type: none"> ◆ Any Interior component contained in a <i>COMMON AREA</i> not directly attributable to, and of sole use for the <i>INSPECTED UNIT</i> ● Test the operation of smoke/heat/CO detectors and/or fire sprinklers



Part 3: Glossary (*CONTAINS ALL CAPITALIZED AND ITALICIZED WORDS IN THIS DOCUMENT*)

<i>ASTTBC & BCIPI:</i>	ASTTBC - The Applied Science Technologists and Technicians of British Columbia (see http://www.asttbc.com/ for more information). ASTTBC is the certifying body for the members of BCIPI. BCIPI - BC Institute of Property Inspectors (see www.bciipi.net for more information)
<i>COMMON AREA(S):</i>	In condominium and some cooperative housing projects, the areas not owned by an individual owner of the condominium or cooperative residence, but shared by all owners, either by percentage interest or owned by the management organization. Common areas may include recreation facilities, outdoor space, parking, landscaping, fences, laundry rooms and all other jointly used space. Management is by a homeowners' association or cooperative board, which collects assessments from the owners and pays for upkeep, some insurance, maintenance and reserves for replacement of improvements in the common areas.
<i>DIRECT OBSERVATION:</i>	Observation within arm's length
<i>INSPECTED UNIT:</i>	(Relating to Multi-Family Dwellings) - Individual suite, apartment, or unit being inspected. Does not include any common area(s)
<i>INSPECTOR:</i>	Members of <i>BCIPI</i> having the appropriate technical training, experience, knowledge, and qualifications and who have been certified by ASTTBC with the designations of Certified House Inspector (CHI) or Certified Property Inspector (CPI)
<i>MULTI-FAMILY DWELLING:</i>	Building or group of buildings on a single lot arranged or designed for occupancy by two or more families, with separate housekeeping and cooking facilities for each and where the individual family units have unique legal addresses. A house with a legal suite is NOT considered a Multi-Family Dwelling. The Multi-Family Dwelling usually refers to a condominium but can also refer to buildings under the control of a Housing Cooperative, Single Owner Rental Apartment Complexes, etc.
<i>QUALIFIED TRADESPERSON:</i>	A certified and licensed professional in their field (Plumbers, Carpenters, Electricians, etc.)
<i>REGISTERED PROFESSIONAL:</i>	Individuals who are registered members of the Professional Engineers and Geoscientists of BC (APEGBC) or the Architectural Institute of BC (MAIBC) or Applied Science Technologist – AScT (ASTTBC) or Certified Technician – C Tech (ASTTBC)
<i>SPECIALIST:</i>	Individuals having the appropriate technical training, experience, knowledge, and qualifications for obtaining a provincial license or trade qualification or; a REGISTERED PROFESSIONAL practicing within their area of specialization
<i>UNIT ENTITLEMENT:</i>	(Relates to Condominiums) - Number assigned to each strata lot that determines the share of common property and assets belonging to each strata lot; and the share of strata corporation expenses and liabilities of each strata lot owner
<i>VISUAL INSPECTION:</i>	Observation without the use of any specialized tools or equipment